

ROOFING PERMIT

(for all structures other than residential asphalt shingles)

The application of additional layer(s) on a built-up roof is subject to certain conditions. All of the following conditions shall be met: (Sec. 1515.)

- 1). The roof structure is sufficient to sustain the weight of the additional dead load of the new roofing material.
- 2). Roof drains and drainage is sufficient to prevent accumulation of water.
- 3). The existing roof covering is securely attached to the deck.
- 4). The roof deck is structurally sound.
- 5). The existing insulation is not water soaked.
- 6). Fire retardant requirements are maintained.

PRE-ROOFING INSPECTION:

Prior to the installation of any re-roofing material on any existing structure, the City Building Department shall visit the site with the roofing contractor to determine the thickness of the existing roof covering and the condition of the existing insulation

On built-up roofs, the roofing contractor is responsible for making the cut in the roofing material, in the presence of the Building Inspector, for the purpose of determining the overlay material thickness.

An inspection fee (\$15.00) shall be charged by the City of Independence for this inspection.

Date: _____

Contractor's Name: _____

Contractor's Address: _____

Contractor's Phone: _____

Job Site Address: _____

For the Inspector:

Conditions found and general comments:

COMPLETE TEAR OFF AND REPLACEMENT

Approved

Disapproved

Inspector Signature:
