



REQUEST FOR COMMISSION ACTION
CITY OF INDEPENDENCE
March 10, 2022

Department Administration

Director Approval *John Garris*

AGENDA ITEM Consider an ordinance amending previous boundary ordinances and establishing the legal boundaries for the City of Independence.

SUMMARY RECOMMENDATION Adopt the ordinance.

BACKGROUND On November 19, 2020, the City Commission adopted Ordinance 4340 amending the previous boundary ordinances and establishing the legal boundaries. Since that time corrections have been made to the legal description. The ordinance language was reviewed by the City Attorney and the legal description was prepared and certified by TranSystems.

BUDGET IMPACT There is no anticipated budget impact.

SUGGESTED MOTION I move to adopt an ordinance amending previous boundary ordinances and establishing the legal boundaries.

SUPPORTING DOCUMENTS Proposed Boundary Ordinance

ORDINANCE NO. 4381

AN ORDINANCE AMENDING PREVIOUS BOUNDARY ORDINANCES AND ESTABLISHING THE LEGAL BOUNDARIES FOR THE CITY OF INDEPENDENCE

Be it ordained by the Governing Body of the City of Independence, Kansas:

- Section 1.** This ordinance is a “boundary ordinance” establishing the legal boundaries for the City of Independence, Kansas.
- Section 2.** This ordinance amends and replaces all previous boundary ordinances now in existence.
- Section 3.** The legal boundaries of the City of Independence, Kansas shall be as set forth on Exhibit A attached hereto and incorporated herein by reference.
- Section 4.** This ordinance shall take effect upon its publication in the official city newspaper.

Adopted by the Governing Body of the City of Independence, Kansas, on the 10th day of March, 2022.


DEAN HAYSE, Mayor

ATTEST:

DAVID W. SCHWENKER, City Clerk

Exhibit A

Boundary 1



Beginning at a point at the Southwest Corner of the Southeast Quarter of the Southeast Quarter of Section 13, Township 32 South, Range 15 East, then bearing S $0^{\circ}12'13''$ E for a distance of 72.594'; bearing S $0^{\circ}12'15''$ E for a distance of 155.293'; bearing S $0^{\circ}12'15''$ E for a distance of 199.018'; bearing S $0^{\circ}12'15''$ E for a distance of 178.474'; bearing S $0^{\circ}12'15''$ E for a distance of 187.074'; bearing S $0^{\circ}12'14''$ E for a distance of 183.46'; bearing S $0^{\circ}12'15''$ E for a distance of 293.86'; bearing S $0^{\circ}58'43''$ W for a distance of 40'; bearing S $89^{\circ}42'50''$ E for a distance of 170.962'; bearing S $89^{\circ}24'0''$ E for a distance of 377.301'; bearing S $89^{\circ}5'16''$ E for a distance of 231.72'; bearing S $89^{\circ}31'30''$ E for a distance of 475.214'; bearing N $88^{\circ}41'39''$ E for a distance of 73.759'; bearing N $0^{\circ}18'48''$ W for a distance of 834.735'; bearing N $0^{\circ}15'55''$ E for a distance of 51.491'; bearing N $4^{\circ}2'12''$ E for a distance of 126.581'; bearing N $2^{\circ}4'10''$ E for a distance of 35.905'; bearing N $1^{\circ}39'53''$ W for a distance of 246.093'; bearing N $2^{\circ}57'33''$ W for a distance of 5.206'; bearing N $0^{\circ}4'12''$ W for a distance of 37.658'; bearing N $0^{\circ}8'5''$ E for a distance of 160.393'; bearing N $0^{\circ}18'59''$ E for a distance of 150.654'; bearing N $0^{\circ}9'47''$ W for a distance of 294.208'; bearing N $0^{\circ}9'48''$ W for a distance of 193.368'; bearing N $0^{\circ}9'48''$ W for a distance of 167.885'; bearing N $0^{\circ}9'47''$ W for a distance of 161.688'; bearing N $0^{\circ}9'48''$ W for a distance of 160.449'; bearing N $1^{\circ}1'25''$ W for a distance of 20.009'; bearing S $89^{\circ}20'55''$ E for a distance of 430.358'; bearing S $87^{\circ}25'37''$ E for a distance of 182.95'; bearing N $88^{\circ}33'40''$ E for a distance of 49.018'; bearing N $0^{\circ}56'13''$ E for a distance of 22.384'; bearing N $0^{\circ}59'57''$ E for a distance of 153.976'; bearing S $89^{\circ}48'26''$ E for a distance of 190.778'; bearing S $1^{\circ}10'31''$ W for a distance of 153.385'; bearing S $1^{\circ}32'4''$ W for a distance of 20'; bearing S $88^{\circ}17'6''$ E for a distance of 137.832'; bearing S $87^{\circ}30'16''$ E for a distance of 166.293'; bearing N $81^{\circ}51'18''$ E for a distance of 45.319'; bearing N $85^{\circ}42'7''$ E for a distance of 12.438'; bearing S $74^{\circ}2'21''$ E for a distance of 14.106'; bearing S $62^{\circ}4'38''$ E for a distance of 15.723'; bearing S $54^{\circ}18'45''$ E for a distance of 12.038'; bearing S $52^{\circ}50'32''$ E for a distance of 15.717'; bearing S $55^{\circ}11'35''$ E for a distance of 20.663'; bearing S $0^{\circ}49'22''$ W for a distance of 143.205'; bearing S $23^{\circ}18'30''$ W for a distance of 54.242'; bearing S $1^{\circ}34'45''$ E for a distance of 179.026'; bearing S $2^{\circ}12'59''$ E for a distance of 250.541'; bearing S $3^{\circ}29'43''$ E for a distance of 176.058'; bearing S $0^{\circ}23'53''$ E for a

distance of 154.869'; bearing S 0°12'38 W" for a distance of 94.041'; bearing S 89°3'35 E" for a distance of 41.038'; bearing S 88°57'15 E" for a distance of 200.47'; bearing S 88°57'15 E" for a distance of 201.86'; bearing S 88°57'15 E" for a distance of 238.367'; bearing S 0°32'25 E" for a distance of 185.694'; bearing S 0°32'23 E" for a distance of 55.104'; bearing S 88°55'48 E" for a distance of 20.164'; bearing S 0°10'35 E" for a distance of 1114.912'; bearing S 3°25'24 E" for a distance of 31.31'; bearing S 0°30'50 E" for a distance of 452.498'; bearing S 0°30'5 W" for a distance of 576.656'; bearing S 0°0'59 E" for a distance of 325.259'; bearing S 0°33'46 E" for a distance of 308.405'; bearing S 0°7'2 W" for a distance of 139.099'; bearing S 0°2'50 W" for a distance of 520.829'; bearing S 87°36'9 E" for a distance of 29.718'; bearing S 88°41'4 E" for a distance of 754.309'; bearing S 88°41'2 E" for a distance of 58.219'; bearing S 0°36'44 W" for a distance of 91.058'; bearing S 0°36'44 W" for a distance of 388.093'; bearing S 88°56'38 E" for a distance of 553.15'; bearing S 88°56'34 E" for a distance of 10.318'; bearing S 88°56'38 E" for a distance of 78.834'; bearing S 88°56'38 E" for a distance of 474.001'; bearing S 3°59'58 E" for a distance of 83.607'; bearing S 5°26'33 W" for a distance of 223.177'; bearing S 6°51'14 W" for a distance of 486.096'; bearing S 6°6'37 W" for a distance of 189.371'; bearing S 9°37'6 W" for a distance of 175.963'; bearing S 9°35'56 E" for a distance of 98.746'; bearing S 3°31'20 E" for a distance of 106.289'; bearing S 1°29'31 W" for a distance of 33.155'; bearing S 4°43'26 W" for a distance of 25.444'; bearing S 7°25'18 W" for a distance of 26.88'; bearing S 8°35'36 E" for a distance of 29.903'; bearing S 1°42'41 W" for a distance of 29.421'; bearing S 1°42'41 W" for a distance of 29.42'; bearing S 13°1'15 W" for a distance of 27.276'; bearing S 1°42'41 W" for a distance of 22.734'; bearing S 0°53'28 E" for a distance of 29.451'; bearing S 8°17'32 W" for a distance of 35.002'; bearing S 3°4'33 W" for a distance of 56.183'; bearing S 0°11'56 E" for a distance of 40.141'; bearing S 7°22'41 E" for a distance of 33.858'; bearing S 1°42'41 W" for a distance of 28.083'; bearing S 10°27'24 W" for a distance of 35.179'; bearing S 1°42'41 W" for a distance of 46.806'; bearing S 9°52'50 E" for a distance of 53.242'; bearing S 8°3'5 W" for a distance of 72.659'; bearing S 9°56'49 W" for a distance of 102.694'; bearing S 6°17'5 W" for a distance of 61.889'; bearing S 6°17'7 W" for a distance of 38.73'; bearing S 1°42'41 W" for a distance of 78.901'; bearing S 15°16'46 E" for a distance of 50.34'; bearing S 0°8'11 E" for a distance of 41.478'; bearing S 10°27'27 W" for a distance of 52.769'; bearing S 3°10'48 W" for a distance of 52.172'; bearing S 16°46'46 W" for a distance of 36.009'; bearing S 0°9'47 W" for a distance of 19.54'; bearing S 0°9'45 W" for a distance of 29.959'; bearing S 10°23'52 W" for a distance of 97.403'; bearing S 1°14'6 E" for a distance of 6.485'; bearing S 6°0'7 W" for a distance of 4.455'; bearing S 1°42'41 W" for a distance of 3.791'; bearing S 10°55'21 E" for a distance of 44.579'; bearing S 10°55'18 E" for a distance of 34.909'; bearing S 6°25'7 E" for a distance of 37.825'; bearing S 0°35'17 W" for a distance of 68.216'; bearing S 13°58'32 W" for a distance of 31.476'; bearing S 2°41'14 E" for a distance of 34.873'; bearing S 3°9'12 E" for a distance of 63.081'; bearing S 8°49'42 E" for a distance of 58.491'; bearing S 1°45'24 E" for a distance of 88.425'; bearing S 1°47'32 E" for a distance of 65.65'; bearing S 2°41'13 E" for a distance of 69.746'; bearing S 9°19'49 E" for a distance of 55.864'; bearing S 14°50'45 E" for a distance of 44.724'; bearing S 14°8'13 E" for a distance of 41.933'; bearing S 74°24'22 W" for a distance of 167.067'; bearing S 4°16'37 E" for a distance of 60.34'; bearing S 15°20'1 E" for a distance of 398.315'; bearing S 11°22'50 E" for a distance of 159.038'; bearing S 18°39'16 E" for a distance of 253.612'; bearing S 18°44'18 E" for a distance of 113.419'; bearing S 0°18'12 W" for a distance of 875.637'; bearing S 0°18'12 W" for a distance of 297.792'; bearing S 89°21'43 E" for a distance of 261.126'; bearing S 6°29'49 W" for a distance of 51.076'; bearing S 1°42'41 W" for a distance of 20.459'; bearing S 6°45'36 E" for a distance of 63.547'; bearing S 4°12'0 W" for a distance of 30.787'; bearing S 5°39'24 W" for a distance of 77.748'; bearing S 0°58'36 W" for a distance of 104.319'; bearing S 2°6'10 E" for a distance of 20.104'; bearing S 15°44'49

W" for a distance of 33.083'; bearing S 9°18'24 W" for a distance of 20.237'; bearing S 1°4'54 W" for a distance of 62.623'; bearing S 1°4'54 W" for a distance of 59.079'; bearing S 6°25'53 W" for a distance of 146.263'; bearing S 1°42'41 W" for a distance of 81.575'; bearing S 10°10'39 E" for a distance of 51.932'; bearing S 15°52'52 E" for a distance of 57.52'; bearing S 15°38'33 E" for a distance of 44.835'; bearing S 29°24'41 E" for a distance of 82.794'; bearing S 52°49'33 E" for a distance of 23.772'; bearing S 42°45'8 W" for a distance of 67.369'; bearing S 35°9'31 E" for a distance of 36.075'; bearing S 57°19'28 E" for a distance of 25.28'; bearing S 57°19'30 E" for a distance of 25.205'; bearing S 61°43'26 E" for a distance of 51.627'; bearing S 70°17'5 E" for a distance of 60.692'; bearing S 83°48'15 E" for a distance of 73.819'; bearing S 85°33'43 E" for a distance of 49.117'; bearing N 88°8'31 E" for a distance of 53.679'; bearing N 86°25'15 E" for a distance of 36.045'; bearing S 79°42'20 E" for a distance of 64.007'; bearing S 77°31'41 E" for a distance of 95.681'; bearing S 82°20'30 E" for a distance of 69.639'; bearing S 82°53'56 E" for a distance of 34.034'; bearing S 82°53'59 E" for a distance of 42.785'; bearing S 81°30'2 E" for a distance of 36.225'; bearing S 81°30'0 E" for a distance of 24.81'; bearing S 89°19'49 E" for a distance of 47.329'; bearing S 89°30'57 E" for a distance of 161.952'; bearing N 79°46'25 E" for a distance of 53.612'; bearing N 0°20'6 W" for a distance of 196.92'; bearing S 89°14'50 E" for a distance of 27.083'; bearing S 89°14'49 E" for a distance of 314.176'; bearing S 89°14'49 E" for a distance of 170.864'; bearing S 8°20'35 W" for a distance of 35.209'; bearing S 0°17'19 E" for a distance of 296.87'; bearing S 83°17'20 E" for a distance of 164.5'; bearing S 0°17'19 E" for a distance of 191'; bearing N 89°42'40 E" for a distance of 99.9'; bearing S 0°17'20 E" for a distance of 172.39'; bearing S 0°17'17 E" for a distance of 9.949'; bearing S 0°38'5 W" for a distance of 61.307'; bearing N 89°32'39 W" for a distance of 376.782'; bearing S 0°22'9 E" for a distance of 40.125'; bearing S 0°26'59 W" for a distance of 472.533'; bearing N 89°22'24 W" for a distance of 351.034'; bearing N 89°32'19 W" for a distance of 30.611'; bearing S 0°28'46 E" for a distance of 301.612'; bearing S 0°21'33 E" for a distance of 416.568'; bearing S 0°30'58 W" for a distance of 374.236'; bearing S 0°5'15 W" for a distance of 295.007'; bearing S 0°25'2 W" for a distance of 318.944'; bearing S 0°42'55 E" for a distance of 330.12'; bearing S 0°23'14 E" for a distance of 309.095'; bearing S 0°40'36 W" for a distance of 307.029'; bearing N 89°12'16 W" for a distance of 117.716'; bearing S 1°46'15 W" for a distance of 31.549'; bearing S 0°22'11 E" for a distance of 147.857'; bearing S 88°16'54 E" for a distance of 89.23'; bearing S 89°18'19 E" for a distance of 29.514'; bearing S 0°18'33 E" for a distance of 34.588'; bearing S 0°1'6 W" for a distance of 464.743'; bearing N 86°4'26 W" for a distance of 29.824'; bearing N 89°24'12 W" for a distance of 320.036'; bearing N 0°9'0 W" for a distance of 324.673'; bearing N 0°8'59 W" for a distance of 322.727'; bearing N 1°24'27 E" for a distance of 31.078'; bearing N 89°19'4 W" for a distance of 336.479'; bearing N 88°52'3 W" for a distance of 156.193'; bearing N 89°38'0 W" for a distance of 298.682'; bearing N 89°25'29 W" for a distance of 194.682'; bearing N 89°25'17 W" for a distance of 104.46'; bearing S 3°34'59 W" for a distance of 31.117'; bearing S 0°6'0 W" for a distance of 295.893'; bearing S 0°5'59 W" for a distance of 50.329'; bearing S 0°6'0 W" for a distance of 142.421'; bearing S 88°54'18 E" for a distance of 96.8'; bearing S 0°1'39 W" for a distance of 166.808'; bearing S 0°1'37 W" for a distance of 16.575'; bearing S 0°1'37 W" for a distance of 22.057'; bearing N 89°19'48 W" for a distance of 678.768'; bearing N 89°25'58 W" for a distance of 25.634'; bearing S 1°15'33 W" for a distance of 277.567'; bearing N 58°44'0 W" for a distance of 140.053'; bearing N 63°28'49 W" for a distance of 88.133'; bearing N 67°51'39 W" for a distance of 90.778'; bearing N 72°32'16 W" for a distance of 87.938'; bearing N 77°9'48 W" for a distance of 105.719'; bearing N 81°12'35 W" for a distance of 66.916'; bearing N 85°17'2 W" for a distance of 132.474'; bearing N 87°31'35 W" for a distance of 228.318'; bearing N 85°9'33 W" for a distance of 159.004'; bearing N 79°30'48 W" for a distance of 65.436'; bearing N 74°9'4 W" for a distance of

62.451'; bearing N 69°0'8 W" for a distance of 65.512'; bearing N 63°57'35 W" for a distance of 89.55'; bearing N 58°34'46 W" for a distance of 52.37'; bearing N 52°38'20 W" for a distance of 77.448'; bearing N 46°47'58 W" for a distance of 100.239'; bearing N 40°47'57 W" for a distance of 77.72'; bearing N 40°21'49 W" for a distance of 126.302'; bearing N 39°59'26 W" for a distance of 90.687'; bearing N 39°56'15 W" for a distance of 121.281'; bearing N 40°47'16 W" for a distance of 133.63'; bearing N 39°20'19 W" for a distance of 120.285'; bearing N 41°8'42 W" for a distance of 91.89'; bearing N 42°46'54 W" for a distance of 34.681'; bearing N 45°19'26 W" for a distance of 108.897'; bearing N 50°4'14 W" for a distance of 114.355'; bearing N 54°48'20 W" for a distance of 99.914'; bearing N 60°27'11 W" for a distance of 77.893'; bearing N 63°52'17 W" for a distance of 77.696'; bearing N 68°24'30 W" for a distance of 103.383'; bearing N 73°23'36 W" for a distance of 133.388'; bearing N 74°9'35 W" for a distance of 129.794'; bearing N 74°7'47 W" for a distance of 211.145'; bearing N 73°56'54 W" for a distance of 166.472'; bearing N 74°17'57 W" for a distance of 62.791'; bearing S 0°35'33 W" for a distance of 139.952'; bearing N 88°17'18 W" for a distance of 50.01'; bearing N 89°4'45 W" for a distance of 748.922'; bearing N 0°33'46 E" for a distance of 118.916'; bearing N 1°41'6 W" for a distance of 83.811'; bearing N 73°11'39 W" for a distance of 23.304'; bearing N 71°11'17 W" for a distance of 20.741'; bearing N 69°38'6 W" for a distance of 22.87'; bearing N 68°49'19 W" for a distance of 13.193'; bearing N 67°12'16 W" for a distance of 19.687'; bearing N 65°58'0 W" for a distance of 20.603'; bearing N 62°26'19 W" for a distance of 17.531'; bearing N 60°27'14 W" for a distance of 10.117'; bearing N 60°51'51 W" for a distance of 12.129'; bearing N 61°31'5 W" for a distance of 23.357'; bearing N 62°19'26 W" for a distance of 20.367'; bearing N 62°57'16 W" for a distance of 13.848'; bearing N 63°27'37 W" for a distance of 13.519'; bearing N 68°37'41 W" for a distance of 9.093'; bearing N 68°15'16 W" for a distance of 10.906'; bearing N 67°53'38 W" for a distance of 8.309'; bearing N 67°33'23 W" for a distance of 9.853'; bearing N 67°12'45 W" for a distance of 8.424'; bearing N 66°55'2 W" for a distance of 7.518'; bearing N 66°34'59 W" for a distance of 10.243'; bearing N 66°13'35 W" for a distance of 8.763'; bearing N 65°52'14 W" for a distance of 10.421'; bearing N 65°28'57 W" for a distance of 10.235'; bearing N 65°4'36 W" for a distance of 11.512'; bearing N 64°37'11 W" for a distance of 12.941'; bearing N 49°28'33 W" for a distance of 17.81'; bearing N 53°51'13 W" for a distance of 22.57'; bearing N 57°39'33 W" for a distance of 12.536'; bearing N 60°46'33 W" for a distance of 16.221'; bearing N 64°3'8 W" for a distance of 13.997'; bearing N 71°58'36 W" for a distance of 7.548'; bearing N 73°3'24 W" for a distance of 9.94'; bearing N 73°9'11 W" for a distance of 13.064'; bearing N 73°15'51 W" for a distance of 12.803'; bearing N 73°22'31 W" for a distance of 13.401'; bearing N 73°29'23 W" for a distance of 13.194'; bearing N 73°35'36 W" for a distance of 11.213'; bearing N 73°40'58 W" for a distance of 9.786'; bearing N 64°32'1 W" for a distance of 14.561'; bearing S 0°47'27 W" for a distance of 52.688'; bearing S 0°20'41 W" for a distance of 358.545'; bearing S 0°11'41 E" for a distance of 449.137'; bearing S 89°37'52 W" for a distance of 346.31'; bearing N 30°3'15 E" for a distance of 32.122'; bearing N 26°27'4 E" for a distance of 32.122'; bearing N 22°50'54 E" for a distance of 32.122'; bearing N 19°14'43 E" for a distance of 32.122'; bearing N 15°38'32 E" for a distance of 32.122'; bearing N 7°10'41 E" for a distance of 14.635'; bearing N 0°35'59 E" for a distance of 14.635'; bearing N 5°58'42 W" for a distance of 14.635'; bearing N 12°33'24 W" for a distance of 14.635'; bearing N 20°13'35 W" for a distance of 34.499'; bearing N 23°13'53 W" for a distance of 34.499'; bearing N 26°14'11 W" for a distance of 34.499'; bearing N 29°14'28 W" for a distance of 34.499'; bearing N 32°14'46 W" for a distance of 34.499'; bearing N 32°42'10 W" for a distance of 21.189'; bearing N 26°5'20 W" for a distance of 21.189'; bearing N 19°28'30 W" for a distance of 21.189'; bearing N 12°51'41 W" for a distance of 21.189'; bearing N 6°14'51 W" for a

distance of 21.189'; bearing N 0°21'59 E" for a distance of 21.189'; bearing N 6°58'48 E" for a distance of 21.189'; bearing N 13°35'38 E" for a distance of 21.189'; bearing N 20°12'28 E" for a distance of 21.189'; bearing N 0°20'22 W" for a distance of 18.318'; bearing S 88°50'6 W" for a distance of 442.404'; bearing S 0°13'8 W" for a distance of 197.77'; bearing S 0°13'0 W" for a distance of 361.761'; bearing S 89°27'35 W" for a distance of 189.742'; bearing S 89°50'25 W" for a distance of 267.096'; bearing N 89°56'54 W" for a distance of 61.731'; bearing S 1°35'28 E" for a distance of 548.499'; bearing S 2°45'25 E" for a distance of 102.566'; bearing N 88°7'23 W" for a distance of 83.99'; bearing S 89°9'9 W" for a distance of 104.3'; bearing N 89°59'22 W" for a distance of 679.747'; bearing N 9°58'42 E" for a distance of 110.157'; bearing N 13°39'35 E" for a distance of 229.519'; bearing N 2°19'16 E" for a distance of 87.587'; bearing N 4°45'21 E" for a distance of 87.706'; bearing N 11°10'25 E" for a distance of 130.352'; bearing N 0°24'14 W" for a distance of 7.573'; bearing N 2°0'32 E" for a distance of 25.128'; bearing S 89°53'23 W" for a distance of 315.906'; bearing S 88°53'7 W" for a distance of 267.894'; bearing N 10°33'11 E" for a distance of 148.101'; bearing N 7°43'13 E" for a distance of 186.39'; bearing N 3°11'29 E" for a distance of 152.899'; bearing N 1°46'5 E" for a distance of 349.28'; bearing N 1°46'5 E" for a distance of 494.658'; bearing S 89°17'56 W" for a distance of 60.562'; bearing S 89°18'58 W" for a distance of 225.575'; bearing S 89°16'31 W" for a distance of 19.993'; bearing N 89°37'26 W" for a distance of 21.164'; bearing S 89°28'0 W" for a distance of 142.545'; bearing S 89°38'11 W" for a distance of 19.999'; bearing S 89°29'7 W" for a distance of 143.322'; bearing S 89°29'5 W" for a distance of 28.079'; bearing N 0°1'2 E" for a distance of 149.429'; bearing N 88°36'59 E" for a distance of 29.32'; bearing N 88°34'26 E" for a distance of 142.28'; bearing N 0°4'31 E" for a distance of 100.045'; bearing S 89°29'30 W" for a distance of 141.501'; bearing S 88°56'16 W" for a distance of 30.254'; bearing N 1°39'5 W" for a distance of 87.526'; bearing N 1°22'38 E" for a distance of 85.227'; bearing N 0°3'5 W" for a distance of 274.475'; bearing N 89°54'34 W" for a distance of 361.374'; bearing N 89°54'33 W" for a distance of 187.786'; bearing N 89°54'33 W" for a distance of 151.722'; bearing N 0°28'38 E" for a distance of 30.044'; bearing N 0°7'18 W" for a distance of 115.847'; bearing N 0°24'4 W" for a distance of 155.904'; bearing N 0°40'23 E" for a distance of 137.314'; bearing N 0°41'8 W" for a distance of 187.798'; bearing N 89°39'40 W" for a distance of 16.424'; bearing S 89°39'46 W" for a distance of 350.579'; bearing N 89°11'1 W" for a distance of 315.166'; bearing S 1°39'26 E" for a distance of 30.013'; bearing S 0°16'43 E" for a distance of 626.166'; bearing S 0°16'43 E" for a distance of 331.778'; bearing S 89°2'0 E" for a distance of 322.736'; bearing S 0°7'11 E" for a distance of 673.268'; bearing N 89°5'24 W" for a distance of 955.133'; bearing N 88°51'42 W" for a distance of 23.391'; bearing N 0°36'54 W" for a distance of 133.602'; bearing N 0°23'47 E" for a distance of 205.931'; bearing N 88°15'7 W" for a distance of 25.007'; bearing N 89°23'4 W" for a distance of 447.501'; bearing S 0°12'18 E" for a distance of 466.984'; bearing N 89°16'35 W" for a distance of 1806.25'; bearing S 88°0'28 W" for a distance of 66.356'; bearing S 36°55'34 W" for a distance of 529.24'; bearing S 2°23'31 E" for a distance of 80.13'; bearing S 0°5'32 E" for a distance of 362.737'; bearing N 89°35'7 W" for a distance of 274.177'; bearing N 89°35'8 W" for a distance of 124.896'; bearing N 89°36'33 W" for a distance of 912.064'; bearing N 0°3'44 E" for a distance of 1320.786'; bearing N 89°36'14 W" for a distance of 1295.602'; bearing N 88°11'47 W" for a distance of 25.013'; bearing N 0°13'26 W" for a distance of 772.193'; bearing N 0°12'1 E" for a distance of 546.314'; bearing N 0°26'35 E" for a distance of 1327.221'; bearing S 89°44'0 E" for a distance of 325.771'; bearing S 1°17'20 E" for a distance of 39.46'; bearing S 0°0'7 E" for a distance of 621.407'; bearing S 89°51'19 E" for a distance of 329.31'; bearing S 89°51'18 E" for a distance of 319.561'; bearing N 0°20'53 E" for a distance of 620.097'; bearing N 0°3'26 W" for a distance of 40.379'; bearing N 0°12'14 E" for a distance of 39.622'; bearing N 0°11'16 W" for a distance of 621.738'; bearing


S 89°34'40 E" for a distance of 337.042'; bearing S 89°19'30 E" for a distance of 658.652'; bearing S 89°32'41 E" for a distance of 304.599'; bearing S 89°26'32 E" for a distance of 328.697'; bearing S 89°27'49 E" for a distance of 30.097'; bearing N 0°19'12 E" for a distance of 356.487'; bearing N 0°6'11 W" for a distance of 145.543'; bearing S 89°52'54 E" for a distance of 30'; bearing N 0°7'48 E" for a distance of 1478.294'; bearing S 89°36'12 E" for a distance of 626.575'; bearing S 89°36'13 E" for a distance of 660.688'; bearing S 0°2'13 W" for a distance of 472.764'; bearing S 88°38'26 E" for a distance of 613.251'; bearing N 10°17'53 E" for a distance of 43.844'; bearing S 89°21'33 E" for a distance of 22.196'; bearing S 89°21'33 E" for a distance of 349.41'; bearing N 0°20'40 W" for a distance of 447.806'; bearing S 89°37'49 E" for a distance of 515.507'; bearing S 89°37'49 E" for a distance of 1119.79'; bearing S 0°0'23 E" for a distance of 1256.081'; bearing S 26°21'45 E" for a distance of 52.02'; bearing N 56°16'57 E" for a distance of 103.548'; bearing N 56°45'18 E" for a distance of 233.433'; bearing N 59°22'16 E" for a distance of 243.242'; bearing N 61°4'17 E" for a distance of 131.663'; bearing N 61°53'16 E" for a distance of 78.544'; bearing S 1°22'58 E" for a distance of 58.292'; bearing S 0°25'15 W" for a distance of 367.912'; bearing N 89°31'22 E" for a distance of 584.006'; bearing N 88°52'4 E" for a distance of 59.46'; bearing N 12°22'41 W" for a distance of 91.287'; bearing N 12°48'56 W" for a distance of 49.14'; bearing N 13°48'47 W" for a distance of 109.624'; bearing N 14°28'45 W" for a distance of 137.791'; bearing N 13°58'27 W" for a distance of 118.799'; bearing N 15°11'59 W" for a distance of 115.189'; bearing N 14°12'19 W" for a distance of 80.084'; bearing N 14°6'15 W" for a distance of 98.737'; bearing N 11°48'0 W" for a distance of 108.489'; bearing N 8°44'14 W" for a distance of 117.08'; bearing N 6°3'4 W" for a distance of 234.457'; bearing N 1°19'1 W" for a distance of 157.572'; bearing N 1°49'48 W" for a distance of 346.051'; bearing N 1°37'38 W" for a distance of 142.976'; bearing S 70°58'6 E" for a distance of 48.161'; bearing S 68°14'25 E" for a distance of 209.638'; bearing S 71°50'33 E" for a distance of 31.655'; bearing N 0°16'15 W" for a distance of 226.891'; bearing N 0°4'19 E" for a distance of 332.135'; bearing N 0°40'16 E" for a distance of 284.717'; bearing S 89°44'46 E" for a distance of 498.472'; bearing S 89°40'58 E" for a distance of 304.883'; bearing S 89°44'39 E" for a distance of 1080.924'; bearing S 89°42'11 E" for a distance of 138.442'; bearing S 89°24'10 E" for a distance of 138.467'; bearing N 89°53'49 E" for a distance of 269.442'; bearing N 89°53'49 E" for a distance of 208.447'; bearing N 0°6'11 W" for a distance of 30'; bearing N 0°17'41 E" for a distance of 204.117'; bearing N 0°12'39 E" for a distance of 222.717'; bearing N 0°14'3 E" for a distance of 829.152'; bearing N 0°14'4 E" for a distance of 23.591'; bearing N 89°15'56 W" for a distance of 1326.77'; bearing N 0°9'54 E" for a distance of 330.966'; bearing S 89°46'51 E" for a distance of 17.817'; bearing N 0°4'29 W" for a distance of 370.269'; bearing N 89°58'12 W" for a distance of 19.244'; bearing N 0°3'22 W" for a distance of 1936.387'; bearing N 89°36'59 W" for a distance of 1289.667'; bearing S 89°44'41 W" for a distance of 25.002'; bearing N 0°8'7 E" for a distance of 1264.328'; bearing N 6°20'20 W" for a distance of 66.92'; bearing N 89°29'18 W" for a distance of 220.271'; bearing S 89°52'50 W" for a distance of 277.816'; bearing N 0°35'21 E" for a distance of 20.001'; bearing N 0°9'51 W" for a distance of 1303.746'; bearing N 89°23'40 W" for a distance of 125.346'; bearing N 89°23'39 W" for a distance of 43.181'; bearing N 89°23'41 W" for a distance of 65.377'; bearing N 89°23'40 W" for a distance of 88.62'; bearing N 89°23'40 W" for a distance of 91.896'; bearing N 89°23'39 W" for a distance of 82.031'; bearing N 89°21'41 W" for a distance of 4.189'; bearing N 89°21'29 W" for a distance of 88.772'; bearing N 89°23'58 W" for a distance of 71.831'; bearing N 89°19'11 W" for a distance of 18.525'; bearing N 89°25'33 W" for a distance of 117.239'; bearing N 89°39'18 W" for a distance of 24.999'; bearing N 0°6'0 E" for a distance of 177.044'; bearing N 0°8'30 E" for a distance of 431.62'; bearing N 0°6'21 W" for a distance of 507.869'; bearing N

0°35'9 E" for a distance of 350.289'; bearing N 0°27'51 W" for a distance of 153.629'; bearing N 0°57'35 W" for a distance of 183.011'; bearing N 0°2'36 W" for a distance of 343.868'; bearing N 0°41'30 E" for a distance of 196.274'; bearing N 0°27'13 W" for a distance of 292.845'; bearing S 89°44'47 E" for a distance of 17.797'; bearing S 89°43'21 E" for a distance of 550.693'; bearing N 0°22'7 E" for a distance of 456.398'; bearing S 87°25'38 E" for a distance of 431.7'; bearing S 87°25'38 E" for a distance of 22.936'; bearing S 87°25'37 E" for a distance of 34.164'; bearing S 61°43'31 E" for a distance of 16.434'; bearing S 69°51'14 E" for a distance of 11.621'; bearing S 54°35'55 E" for a distance of 13.25'; bearing S 69°51'10 E" for a distance of 11.62'; bearing S 43°17'24 E" for a distance of 10.393'; bearing S 69°51'8 E" for a distance of 11.621'; bearing S 54°36'4 E" for a distance of 13.25'; bearing S 69°51'10 E" for a distance of 11.62'; bearing S 69°51'14 E" for a distance of 11.621'; bearing S 43°17'15 E" for a distance of 10.394'; bearing S 16°43'25 E" for a distance of 11.621'; bearing S 43°17'26 E" for a distance of 15.591'; bearing S 43°17'19 E" for a distance of 10.394'; bearing S 69°51'16 E" for a distance of 11.62'; bearing S 43°17'19 E" for a distance of 0.994'; bearing S 43°17'14 E" for a distance of 9.4'; bearing S 54°35'55 E" for a distance of 13.25'; bearing S 43°17'29 E" for a distance of 10.395'; bearing S 43°17'10 E" for a distance of 10.394'; bearing S 43°17'24 E" for a distance of 10.393'; bearing S 43°17'24 E" for a distance of 10.393'; bearing S 69°51'6 E" for a distance of 11.621'; bearing S 43°17'19 E" for a distance of 10.394'; bearing S 69°51'14 E" for a distance of 11.621'; bearing S 61°43'22 E" for a distance of 16.434'; bearing S 61°43'23 E" for a distance of 16.434'; bearing S 88°17'19 E" for a distance of 11.025'; bearing S 88°17'19 E" for a distance of 14.699'; bearing S 54°36'1 E" for a distance of 13.249'; bearing S 88°17'19 E" for a distance of 11.024'; bearing S 69°51'14 E" for a distance of 11.621'; bearing S 54°35'59 E" for a distance of 13.25'; bearing S 74°15'5 E" for a distance of 15.151'; bearing S 69°51'16 E" for a distance of 11.621'; bearing S 88°17'19 E" for a distance of 11.025'; bearing S 88°17'19 E" for a distance of 14.7'; bearing S 43°17'10 E" for a distance of 10.394'; bearing S 88°17'19 E" for a distance of 14.699'; bearing S 69°51'16 E" for a distance of 11.621'; bearing S 69°51'4 E" for a distance of 11.62'; bearing S 69°51'16 E" for a distance of 11.62'; bearing S 55°7'47 E" for a distance of 10.532'; bearing S 52°33'9 E" for a distance of 2.719'; bearing S 69°51'14 E" for a distance of 11.621'; bearing S 69°51'12 E" for a distance of 11.621'; bearing S 69°51'12 E" for a distance of 11.621'; bearing S 54°35'57 E" for a distance of 13.249'; bearing S 88°17'19 E" for a distance of 11.025'; bearing S 74°14'59 E" for a distance of 15.152'; bearing S 88°17'19 E" for a distance of 11.025'; bearing S 43°17'19 E" for a distance of 10.393'; bearing S 88°17'19 E" for a distance of 11.024'; bearing S 88°17'19 E" for a distance of 11.025'; bearing S 78°49'33 E" for a distance of 22.352'; bearing S 88°17'19 E" for a distance of 11.025'; bearing S 69°51'14 E" for a distance of 11.621'; bearing S 88°17'19 E" for a distance of 11.024'; bearing S 57°19'29 E" for a distance of 21.427'; bearing S 88°17'19 E" for a distance of 11.025'; bearing S 88°17'19 E" for a distance of 11.024'; bearing S 43°17'19 E" for a distance of 10.394'; bearing S 88°17'19 E" for a distance of 11.024'; bearing S 54°36'9 E" for a distance of 13.25'; bearing S 69°50'42 E" for a distance of 3.329'; bearing S 1°44'23 E" for a distance of 130.221'; bearing S 89°19'17 E" for a distance of 338.162'; bearing S 89°15'30 E" for a distance of 107.486'; bearing S 0°8'10 E" for a distance of 45.072'; bearing S 64°21'19 E" for a distance of 29.798'; bearing S 66°43'7 E" for a distance of 50.632'; bearing S 69°41'38 E" for a distance of 50.632'; bearing S 72°40'7 E" for a distance of 50.632'; bearing S 75°38'39 E" for a distance of 50.632'; bearing S 78°12'44 E" for a distance of 36.768'; bearing S 81°10'50 E" for a distance of 73.828'; bearing S 84°19'31 E" for a distance of 27.901'; bearing S 85°35'53 E" for a distance of 15.705'; bearing S 87°32'44 E" for a distance of 50.944'; bearing N 89°39'35 E" for a distance of 44.787'; bearing S 0°13'25 E" for a distance of 404.303'; bearing S 0°13'27 E" for a distance of 184.506'; bearing S 0°13'27 E" for a distance of 364.007'; bearing S 0°13'27 E" for a distance of 183.428'; bearing S 0°13'27 E" for a

distance of 182.511'; bearing S 0°13'27 E" for a distance of 180.58'; bearing S 0°13'27 E" for a distance of 213.946'; bearing S 89°10'0 E" for a distance of 154'; bearing S 89°9'59 E" for a distance of 160.537'; bearing S 89°10'0 E" for a distance of 162.51'; bearing S 89°10'0 E" for a distance of 165.271'; bearing S 89°9'59 E" for a distance of 168.179'; bearing S 0°28'39 E" for a distance of 152.16'; bearing S 0°28'39 E" for a distance of 248.088'; bearing N 89°9'37 E" for a distance of 337.129'; bearing N 89°9'37 E" for a distance of 154.395'; bearing S 0°12'56 E" for a distance of 156.908'; bearing S 0°12'56 E" for a distance of 158.519'; bearing S 0°0'30 E" for a distance of 80.462'; bearing S 1°1'8 W" for a distance of 13.577' to the Point of Beginning.


Boundary excludes the enclaved area as defined by the point of beginning located at the Southeast Corner of the Southwest Quarter of the Northeast Quarter of Section 35, Township 32 South, Range 25 East, then bearing S 88°59'21 E" for a distance of 25.011'; bearing N 0°1'53 W" for a distance of 334.421'; bearing N 89°21'57 W" for a distance of 340.405'; bearing S 0°28'14 W" for a distance of 30.001'; bearing S 0°20'7 W" for a distance of 303.703'; bearing S 89°16'11 E" for a distance of 317.61' to the Point of beginning.

Boundary 2




Beginning at a point located 271.11 feet South of the Northeast Corner of the Southeast Quarter of the Northwest Quarter of Section 1, Township 33 South, Range 15 East, then bearing S 89°37'42 W" for a distance of 33.003'; bearing S 89°39'57 W" for a distance of 207.456'; bearing S 0°8'24 E" for a distance of 268.664'; bearing S 0°8'19 E" for a distance of 134.541'; bearing S 0°8'20 E" for a distance of 168.192'; bearing S 0°8'19 E" for a distance of 132.246'; bearing S 89°46'7 W" for a distance of 190.129'; bearing S 89°46'7 W" for a distance of 195.586'; bearing S 89°46'8 W" for a distance of 310.418'; bearing S 89°49'34 W" for a distance of 25.002'; bearing N 0°32'41 E" for a distance of 436.836'; bearing N 89°52'13 E" for a distance of 25.002'; bearing S 89°24'13 E" for a distance of 220.57'; bearing N 13°35'59 W" for a distance of 2.128'; bearing N 0°18'54 E" for a distance of 12.063'; bearing N 0°18'52 E" for a distance of 15.842'; bearing N 0°18'54 E" for a distance of 258.862'; bearing N 62°15'36 E" for a distance of 1.206'; bearing N 0°8'49 E" for a distance of 14.398'; bearing N 89°39'42 W" for a distance of 226.647'; bearing S 89°9'22 W" for a distance of 24.992'; bearing N 1°16'1 W" for a distance of 185.278'; bearing N 1°10'48 E" for a distance of 38.566'; bearing N 9°32'23 E" for a distance of 28.039'; bearing N 89°1'39 E" for a distance of 22.247'; bearing N 89°56'2 E" for a distance of 33.625'; bearing S 88°36'24 E" for a distance of 437.1'; bearing S 89°48'53 E" for a distance of 466.439'; bearing S 0°12'48 W" for a distance of 271.114' to the Point of Beginning.

Boundary 3



Beginning at a point 948.78 feet East of the Northwest Corner of Section 22, Township 33 South, Range 15 East, then bearing N 89°55'37 E" for a distance of 257.374'; bearing S 89°33'42 E" for a distance of 644.689'; bearing S 89°33'25 E" for a distance of 439.603'; bearing S 33°36'17 W" for a distance of 15.919'; bearing S 32°56'46 W" for a distance of 94.414'; bearing S 31°20'30 W" for a distance of 113.247'; bearing N 66°48'20 W" for a distance of 53.768'; bearing S 48°30'21 W" for a distance of 24.697'; bearing S 63°43'55 W" for a distance of 105.201'; bearing S 62°47'5 W" for a distance of 126.05'; bearing S 75°0'42 W" for a distance of 60.622'; bearing S 73°16'35 W" for a distance of 64.267'; bearing S 79°10'57 W" for a distance of 80.301'; bearing S 83°56'45 W" for a distance of 64.463'; bearing S 82°37'15 W" for a distance of 73.505'; bearing S 84°16'13 W" for a distance of 69.797'; bearing S 89°42'41 W" for a distance of 517.599'; bearing S 0°42'41 W" for a distance of 277.699'; bearing S 0°42'38 W" for a distance of 13.301'; bearing S 89°42'40 W" for a distance of 82.567'; bearing S 89°42'41 W" for a distance of 869.431'; bearing S 89°25'21 W" for a distance of 24.754'; bearing N 0°26'41 E" for a distance of 262.268'; bearing N 0°30'34 E" for a distance of 133.233'; bearing N 89°43'24 E" for a distance of 24.752'; bearing N 89°42'40 E" for a distance of 924.028'; bearing N 0°42'40 E" for a distance of 242.482'; bearing N 0°21'25 E" for a distance of 24.959' to the Point of Beginning.

Boundary 4



Beginning at a point 3860 feet South of the Northeast Corner of the Northeast Quarter of Section 21, Township 33 South, Range 15 East, then bearing S 0°14'24 W" for a distance of 97.15'; bearing S 0°2'22 W" for a distance of 3631.696'; bearing S 88°17'19 E" for a distance of 225.21'; bearing S 0°41'39 W" for a distance of 149.281'; bearing S 89°0'19 E" for a distance of 2148.627'; bearing S 87°40'15 E" for a distance of 24.944'; bearing S 0°23'29 W" for a distance of 224.781'; bearing S 0°9'31 E" for a distance of 166.711'; bearing S 0°53'21 W" for a distance of 257.827'; bearing S 0°23'37 W" for a distance of 232.901'; bearing S 0°23'36 W" for a distance of 77.759'; bearing S 0°32'32 W" for a distance of 319.076'; bearing S 0°44'46 W" for a distance of 144.866'; bearing S 1°8'19 E" for a distance of 369.934'; bearing S 0°23'51 W" for a distance of 567.856'; bearing S 0°17'54 E" for a distance of 668.379'; bearing S 0°52'46 E" for a distance of 576.109'; bearing S 0°45'57 E" for a distance of 307.905'; bearing S 1°5'55 E" for a distance of 155.289'; bearing S 89°35'14 W" for a distance of 24.76'; bearing S 89°56'3 W" for a distance of 2277.661'; bearing N 89°45'5 W" for a distance of 184.678'; bearing S 0°23'35 E" for a distance of 1291.015'; bearing S 1°42'41 W" for a distance of 56.086'; bearing S 88°35'22 W" for a distance of 151.693'; bearing S 89°1'39 W" for a distance of 0.105'; bearing S 88°35'11 W" for a distance of 41.286'; bearing N 89°42'17 W" for a distance of 1560.389'; bearing N 0°22'45 E" for a distance of 53.858'; bearing N 0°22'44 E" for a distance of 398.463'; bearing N 0°43'35 W" for a distance of 897.455'; bearing N 89°56'38 W" for a distance of 1033.692'; bearing N 0°15'36 W" for a distance of 2.594'; bearing N 89°10'32 W" for a distance of 2619.612'; bearing N 0°0'30 W" for a distance of 2599.403'; bearing N 0°17'59 E" for a distance of 47.882'; bearing N 0°26'5 E" for a distance of 654.507'; bearing N 0°27'6 E" for a distance of 3236.979'; bearing N 0°29'22 E" for a distance of 610.88'; bearing N 1°10'51 E" for a distance of 82.217'; bearing N 47°56'38 E" for a distance of 130.153'; bearing N 49°2'21 E" for a distance of 453.363'; bearing N 49°5'50 E" for a distance of 176.93'; bearing N 49°4'59 E" for a distance of 155.733'; bearing N 48°33'34 E" for a distance of 58.251'; bearing S 89°12'2 E" for a distance of 90.739'; bearing S 89°39'28 E" for a distance of 706.888'; bearing N 88°5'28 E" for a distance of 120.07'; bearing S 72°46'33 E" for a distance of 73.14'; bearing S 79°4'40 E" for a distance of 92.919'; bearing S 83°58'22 E" for a distance of 87.838'; bearing S 87°18'3 E" for a distance of 47.933'; bearing S 89°59'9 E" for a distance of 223.203'; bearing S 89°55'17 E" for a distance of 126.92'; bearing N 88°49'7

E" for a distance of 157.584'; bearing N 86°59'58 E" for a distance of 139.514'; bearing N 85°27'56 E" for a distance of 251.645'; bearing N 82°56'56 E" for a distance of 222.395'; bearing N 82°21'21 E" for a distance of 218.575'; bearing N 82°30'1 E" for a distance of 123.892'; bearing N 84°51'40 E" for a distance of 256.334'; bearing N 86°26'37 E" for a distance of 117.005'; bearing N 88°3'7 E" for a distance of 142.416'; bearing N 89°5'30 E" for a distance of 126.558'; bearing S 89°22'26 E" for a distance of 218.186'; bearing S 89°48'15 E" for a distance of 312.456'; bearing S 89°52'0 E" for a distance of 300.066'; bearing S 89°40'15 E" for a distance of 388.223'; bearing S 87°42'26 E" for a distance of 108.51'; bearing S 88°17'19 E" for a distance of 78.84' to the Point of Beginning.

Boundary excludes the enclaved area as defined by beginning at a point 4,270 feet South and 2,301.85 feet West of the Northeast Corner of the Northeast quarter of Section 21, Township 33 South, Range 15 East, then bearing S 89°49'57 W" for a distance of 34.966'; bearing S 0°57'28 E" for a distance of 147.636'; bearing N 88°17'19 W" for a distance of 61.04'; bearing S 4°0'6 W" for a distance of 58.739'; bearing N 84°40'9 W" for a distance of 29.841'; bearing S 0°33'28 W" for a distance of 219.621'; bearing S 88°17'19 E" for a distance of 88.42'; bearing S 6°4'30 W" for a distance of 26.543'; bearing S 88°46'28 E" for a distance of 277.037'; bearing N 0°43'4 E" for a distance of 406.211'; bearing N 89°58'25 W" for a distance of 239.568'; bearing N 1°35'47 E" for a distance of 50.019' to the Point of Beginning.

Boundary also excludes the enclaved area described as beginning at a point located 546.75' North and 769.27' West of the Southeast corner of Section 21, Township 33 South, Range 15 East, then bearing N 1°26'10 E" for a distance of 450'; bearing N 89°34'6 W" for a distance of 402.279'; bearing S 1°42'41 W" for a distance of 441.825'; bearing S 1°7'37 W" for a distance of 8.17'; bearing S 89°33'42 E" for a distance of 404.356' to the Point of Beginning.